



EUROCAVE

INVENTOR OF THE WINE CABINET

Designed and Made in France since 1976.

COMPACT UNDER BENCH
V059 | S059

CREATOR OF THE WINE CABINET

Designed and made in France since 1976,
EuroCave Wine Cabinets are the best in the world.



Made in France

EuroCave is the only wine cabinet manufacturer to design and make cabinets in France, the global heartland of the wine industry.

Highest Quality Standards

Bestowed with the EPV label, which recognises EuroCave's unwavering dedication to exceptional manufacturing standards.



Award Winning Innovation

Winner of multiple Red Dot Design Awards, one of the world's most prestigious design competitions, recognising their unique features.

Exclusive Patented Technology

EuroCave's elite engineering and design team have developed proprietary technology that delivers unparalleled cellaring precision.



Unique 'Main du Sommelier' Shelving

Cradles ensure superior protection of wine and unlike standard slatted shelves, can accommodate all bottles types including larger sizes common in Australia.

Multiple Temperature Cabinets

In addition to Single and Dual Temp options, EuroCave offers Multi Temp wine cabinets with a gradation of temperature within one zone so all wine varietals can be served at ideal drinking temperature.



Trusted Worldwide

Recommended by sommeliers and restaurants around the world. Over 40 million bottles are entrusted to our cabinets in more than 70 countries.

COMPACT UNDER BENCH WINE CABINET

Superior Cellaring Conditions

Consistent Temperature	EuroCave wine cabinets maintain consistent set temperature thanks to their exclusive technology, double glazed and argon filled doors, aluminium interior (vs ABS plastic used by many other manufacturers), high quality insulation (equivalent to 2.5m of earth or 4m of concrete) and magnetic door seals which ensure perfect closure.
Maintain Humidity	Working with ambient humidity, EuroCave wine cabinets maintain stable humidity levels which prevent corks from shrinking and spoiling wine.
Minimal Vibrations	Scientific institute INSA ¹ confirmed that vibration frequencies in an empty EuroCave wine cabinet are 20 times lower than an equivalent competing model and 6 times lower in a full cabinet. This is achieved via ingenious design, silent blocks, high quality closing mechanisms and unique “Main du Sommelier” bottle cradles.
UV Protection	EuroCave doors filter over 97% of UV rays harmful to wine and are made of low emissivity treated technical glass. All internal lights are UV free.
High Air Quality	An internal fan and natural ventilation ensure continuous change of air within the cabinet. The activated carbon filter traps air impurities to avoid bad odours and mould.

Ultimate User Experience

Shelving Fits Larger Bottles	EuroCave wine cabinets can accommodate ALL bottle types common to Australian wine collections (e.g. Burgundy, Champagne, Riesling). This is achieved via; greater space between each shelf, adjustable “Main du Sommelier” bottle supports, and a large choice of shelving options. Many other wine cabinet brands are designed ONLY for slim Bordeaux bottles, so storing other types result in significantly lower bottle capacities and potential label scratching.
Serve ALL Wine Varietals at Ideal Drinking Temperature	EuroCave’s multiple temperature options are perfect for the ‘Entertainer’. Allowing all varietals to be served at ideal drinking temperature within the one ‘zone’; Champagne at the bottom at 6°C, aromatic whites higher up at 8°C, Chardonnay at 10°C, Pinots at 14°C, then full bodied reds at 16-18°C at the top of the cabinet.
Display Wine Bottles	EuroCave provides a multitude of shelving options designed to either optimise capacity or showcase labels through various bottle orientations.
Luxurious Lighting	Showcase wine collections in soft amber internal lighting that is not harmful to wine.
High Energy Efficiency	Consuming up to 67% less energy than mass market wine fridges, EuroCave wine cabinets are gentle on the environment and economical to run.
Low Noise Emissions	EuroCave wine cabinets have low acoustic levels as they are equipped with one of the quietest European-made compressors on the market and insulation that absorbs interior noise.
Touch Control Panel	Panel displays both temperature and humidity. Light settings can easily be changed and filter replacement reminders help protect wine collections.
Alarms & Locking System	Visual alarms in case of dysfunction (open door, temp alarm, charcoal filter, humidity level alarm). The locking system provides added security.

SPECIFICATIONS

Bottle Capacity	38 - 56 bottles (depends on shelving configuration and bottle types)
Temperature	Single Temp – ideal for cellaring all wine varieties Multi Temp – allows all wine varieties to be served at ideal drinking temperature
Temperature Range	5-20°C (enhanced fan system ensures even temperature distribution)
Control	Touch screen electronic temperature and humidity display, alarm and filter countdown
Energy Rating	A (132 kWh/year – Uses up to 67% less energy than traditional cabinets)
Door	Solid Integrated Door or Full Glass Door (double glazed, argon filled & UV protected)
Opening	Right or left hinge (Full glass door interchangeable)
Security	Robust locking system with two keys and keyring
Handle	Detachable black handle
Shelving Types	Roller mounted sliding shelves
Shelving Configuration	4 sliding shelves
Shelves Facia	Light Timber
Shelving Spacing	Greater distance between shelves to fit wider bottles and eliminate label scratching
Bottle Supports	“Main du Sommelier” cradles can slide and have rubber rims to minimize vibration
Shelf Labels	Labels come with each shelf
Lighting	UV free internal lighting
Noise	Quieter than a standard fridge
Filter	Carbon filter ensures air remains fresh
Room Temp	0-35°C
Cold Production	Compressor (R600a gas)
Inner Material	Aluminium
Exterior Coating	High density fiber
Insulation Type	PU foam (59mm)
Warranty	3 years

DIMENSIONS

Full Glass Door

Height (mm)	818/834*
Width (mm)	595
Depth (mm)	555
Cabinet weight (kg)	46



Solid Integrated Door

Height (mm)	836/852*
Width (mm)	595
Depth (mm)	550
Cabinet weight (kg)	41



*Height adjustable with raising pieces

FREQUENTLY ASKED QUESTIONS

Why are EuroCave wine cabinets considered to be the best globally?

EuroCave invented the very first wine cabinet in 1976. They are dedicated to producing the highest quality, most aesthetically pleasing, and technologically advanced wine cabinets in the world. EuroCave wine cabinets are designed AND manufactured in France, and they address all the requirements for cellaring wine correctly. A strong focus on high energy efficiency, unique and patented features, and longevity makes EuroCave stand out from mass market wine fridge brands.

EuroCave is the wine cabinet of choice for serious wine enthusiasts, and they are featured globally in many hatted restaurants, leading wineries, 5-star hotels and luxury residential developments.

Why haven't I heard about EuroCave before?

With over 80 distributors worldwide, EuroCave has a significant presence in Europe, USA, Asia and other parts of the world. In Australia, EuroCave has been distributed directly to the end customer for over 25 years. Dedicated to producing the best wine cabinet, EuroCave reinvests in R&D rather than 'above the line' advertising.

What is the bottle capacity of a EuroCave wine cabinet?

A wine cabinet's bottle capacity will vary, depending on shelving configuration and type of bottles. Many brands highlight 'maximum bottle capacity' numbers and this generally assumes that ONLY Bordeaux bottles (the thinnest, shortest and rarely used by Australian wine producers) are being used inside the wine cabinet. EuroCave provides a bottle capacity range. Please refer to the bottle capacity provided in the 'Specifications' section of this Product Guide.



Every EuroCave cabinet receives a meticulous quality assurance check before leaving the warehouse to ensure all systems are functioning, and the unit is clean, scratch free and ready for its new home.

Can EuroCave wine cabinets accommodate ALL bottle types?

EuroCave wine cabinets can accommodate ALL bottle types common to Australian wine collections (eg. Burgundy, Champagne, Riesling). Many other wine cabinet brands are ONLY suited to the slimmer Bordeaux bottles, resulting in significantly lower bottle capacities and/or potential label scratching. EuroCave wine cabinets can also accommodate magnums.

What is the difference between a single and multiple temperature wine cabinet?

A single temperature wine cabinet can be set anywhere between 5°C and 20°C, and this will apply for ALL wine inside the unit.

A multiple temperature EuroCave wine cabinet provides a 'gradation' of temperature from the bottom shelf (coldest), to the top shelf, all in the ONE zone. This allows all wine varieties to be served at their ideal drinking temperature so all wines are ready to enjoy. Perfect for the entertainer.

What are ideal conditions for cellaring wine?

ALL wine (whites, reds, rose, sparkling) needs to be cellared at the SAME temperature. EuroCave addresses all 5 criteria required for cellaring wine:

1. Consistent low temperature (12-14°C)
2. High humidity (around 65-75% is ideal)
3. Minimal vibration
4. Fresh airflow
5. UV protection

FREQUENTLY ASKED QUESTIONS

Ideal Cellaring and Drinking Temperatures

Wine Variety	Cellaring Temperature	Drinking Temperature
Cabernet/Shiraz	14°C	18°C
Pinot Noir	14°C	14°C
Chardonnay	14°C	10°C
Sauvignon Blanc	14°C	8°C
Champagne	14°C	6°C

What is the best temperature for drinking wine?

It is ONLY when we are just about to serve wine that we need to bring it to drinking temperature. Please see the table above for ideal drinking temperatures of some wine varieties.

What's the right wine cabinet for the collector?

For the wine collector looking to protect their wine longer term, we recommend a large, single temperature Royale, Encore, Compact or Inspiration wine cabinet for protecting and cellaring their collection as the winemaker intended. To enjoy a bottle, white wine could simply be placed in the fridge for 20 mins before serving. Conversely, remove a bottle of red 20 mins or so before drinking.

Are EuroCave wine cabinets noisy?

No. EuroCave wine cabinets are quieter than a standard fridge; 37(dB(A)).

Where should I install the power point?

Position the power point at the back of your wine cabinet, towards the bottom. The use of multi socket plugs and extensions is not recommended. If installing multiple units, we recommend a separate power supply for each.

How energy efficient are EuroCave wine cabinets?

Very! A large single temperature EuroCave wine cabinet consumes approximately 200 Watts of power when the ambient room temperature is at 25°C, or 128-165 kWh/year on average, depending on the model.

Can the handle be removed?

EuroCave handles come packaged inside the unit. They can be easily attached if required or can remain detached. Doors can easily be opened without attaching the handle.

Can we change the lighting options?

EuroCave uses amber lighting which enhances the ambience of wine collections. The colour of the lighting cannot be changed. EuroCave Champagne wine cabinet can be ordered with a choice between three colour options; amber, blue or red. All wine cabinets have 3 setting options for lighting; 1) Lights remain on, 2) Lights remain off 3) Lights turn on only when the door is opened.

Can EuroCave wine cabinets go outdoors?

No. EuroCave wine cabinets are not weatherproof and must be kept away from harsh conditions.

USABILITY, CARE AND MAINTENANCE

How do I get the best out of the EuroCave wine cabinet?

Scan the QR code below to Register your EuroCave for Warranty, gain access to the Quick Start Guide, Maintenance Information, Product Guides, User Manuals and more.



Do I need to remove the cabinet from its location for maintenance?

No, the cabinet can remain in place for regular filter replacement and cleaning.

For technical issues involving the cooling system or electronic control panel, the cabinet may need to be moved. This must be performed by a qualified technician recommended by a EuroCave vendor.

There is a horizontal 'bar' across the middle of my wine cabinet. Can this be removed?

No, the horizontal 'Bracing Bar' located in the middle of a large wine cabinet is needed to reinforce its structure and avoid any deformation over time. It should not be removed.

Can I control humidity?

Whilst EuroCave wine cabinets display both temperature and humidity, humidity in any wine cabinet cannot be controlled because it is influenced by the ambient humidity in its specific environment. Humidity does not need to be as precise as temperature; it should be above 50% and ideally 65% to 75% to prevent corks from drying out and ultimately oxidizing wine.

What temperature do I set the EuroCave?

Set a single temperature model to 14°C to cellar all wine varietals. Set to 8°C for service temperature of white wine only. Set to 18°C for serving of red wine only.

For a multiple temperature model, set the minimum to 8°C (bottom) and the maximum to 18°C (top). A 10°C variance must be allowed. Please see the table on previous page for ideal drinking temperatures.

FREQUENTLY ASKED QUESTIONS

COMPACT WINE CABINET

Are 3D files available?



Yes, 3D files for each model can be found by scanning the QR code.

Can the Compact Range be built into joinery?

Yes, the Compact Range is designed to fit into standard kitchen joinery dimensions (600x600mm). Please refer to the Installation Instructions in this Product Guide.

Are there any special ventilation requirements?

Yes! The front grille on the base of the unit must not be obstructed. The large Compact wine cabinet must also have rear ventilation. Please refer to the Installation Instructions.

Are the doors reversible?

Only full glass doors are reversible. Integrated Solid doors are not reversible and you must choose your hinge side preference when ordering.

How is joinery attached to the Integrated Solid door?

The door comes with attachments for a joinery panel. Please refer to the Installation Instructions in this Product Guide.

What is the maximum thickness and weight for the joinery panel on the door?

The maximum recommended joinery thickness is 20mm and it must weight no more than 15kg.

Can I raise the height of the wine cabinet?

Yes, the unit comes with a 'raising piece' that can be added to the unit's existing feet. Please refer to the Installation Instructions in the Product Guide.

Can a EuroCave Compact be placed in a room, without building it into joinery?

Yes. For large models, wall fixing accessories are supplied with the unit.

I want to hide the grille. Can I cover it?

We recommend keeping this grille free to allow for easy cleaning of the grille's filter. Attaching proprietary vents is not recommended. Please refer to the Installation Instructions in this Product Guide for the Compact Ventilation Grille template.

What about the door swing? Does it have to open at 180 degrees to pull out a shelf? Can I position the Compact next to a wall?

They can be positioned adjacent to a wall because shelves can fully slide out when the door is opened to 90 degrees. Whilst the inset door hinge 'protrudes' only 3mm at most (when the door is open at its maximum of 45 degrees), a 10mm gap should be between the wall and the Compact.

Can I place multiple EuroCave Compact wine cabinets side by side?

Yes. Care should be taken to ensure walls, floors and joinery are perfectly in alignment. Please refer to the Installation Instructions.

What are the electricity requirements?


All EuroCave wine cabinets can simply be plugged into a standard power point (standard 10A outlet, on a 16A circuit, earthed with 30mA circuit breaker).

COMPACT UNDER BENCH WINE CABINET
INSTALLATION INSTRUCTIONS

Dimensions for a Full Glass Door

	A min.	A max.	A min. with raising piece (supplied with unit)	A max. with raising piece (supplied with unit)	B min.	*C min.	*C max.
059	818	834	861	877	823	18.5	34.5


*Feet adjustment = 16 mm



Dimensions for an Integrated Solid Door

	A min.	A max.	A min. with raising piece (supplied with unit)	A max. with raising piece (supplied with unit)	B min.	*C min.	*C max.
059	836	852	879	895	841	18.5	34.5


*Feet adjustment = 16 mm




COMPACT UNDER BENCH WINE CABINET INSTALLATION INSTRUCTIONS

Covering the ventilation grid of your wine cabinet

Covering the ventilation grid of your wine cabinet for aesthetic purposes can result in poor ventilation of the cabinet. It is therefore necessary to observe the following installation conditions:



Do not obstruct!
The ventilation grid must not be covered by joinery or a standard vent where openings don't **exactly** match the EuroCave ventilation grid.





A custom baseboard with separators must be used, to prevent warm air re-entering. It must have the same openings as the EuroCave's ventilation grid.

Dimensions for baseboard openings

Left	Middle	Right
8x (W:6mm x H:60mm)	27x (W:6mm x H:60mm)	8x (W:6mm x H:60mm)

Adapt the baseboard when elevating wine cabinet with the raising pieces (supplied in accessories kit)



When the cabinet is installed with the hexagonal raising pieces for elevation, (refer to next page) you must adapt the shape of the separators. This is important in order to correctly guide air flow downward and therefore to the ventilation grid (incoming or outgoing).

The diagram to the left shows an example of shape for the separators. It is not provided with the EuroCave wine cabinet.

See raising height section on next page


COMPACT UNDER BENCH WINE CABINET INSTALLATION INSTRUCTIONS

Installing your Compact wine cabinet into joinery

1. Gently remove the 3 grommets of the upper hinge using a fine blade
2. Unscrew the three screws using a T25 Torx tool then remove the hinge, ensuring you support the door.
3. On the other side, gently remove the 3 grommets.
4. On the hinge side, fix the 'flat' hinge (with pin) from the accessories kit.
5. Screw the 'flat' hinge so that the door is completely parallel to the body.
6. On the other side, fix the 'flat' hinge (without the pin).
7. Screw in with screws provided, ensuring there is a tight seal to the door when closed.

Securing the cabinet


Use suitable screws to secure the wine cabinet within the joinery 'carcass' via the holes provided in the hinges.



Raising the height

The wine cabinet can be raised by 43mm using the raising piece (to be carried out only when the cabinet is empty)

1. Use the hexagonal raising pieces supplied in the "accessories" kit.
(Available only for the under bench model (059)).
1. Tilt the appliance forwards, ensuring that the door remains shut.
2. Unscrew the back feet and fit the raising pieces, using a 17 mm open-ended spanner.
3. Screw the 2 back feet onto the raising pieces.
4. Repeat the procedure for the 2 front feet, this time tilting the appliance backwards.



Hexagonal raising piece
+43 mm

Fastening a joinery panel to an Integrated Solid Door

1. Position the cabinet so that it is level underneath the bench top.
2. Open the cabinet door to 90°.
3. Fasten the joinery panel onto the cabinet door (8 screws supplied).
4. Ensure that the seal is completely air tight.

Size	059
Door height (in mm)	696
Door width (in mm)	592
Door thickness (in mm)	29
Seal thickness (in mm)	10
Total thickness (in mm)	39
Max. weight of door face (in kg)	15
Door face + door total weight (in kg)	21

PRODUCT INFORMATION

Product specifications and information contained in this document are accurate as at the date of issue. For up to date information please refer to macphees.com.au

All information supplied is to be used for general reference purposes only and is on the understanding that MacPhee's Wine Cellaring Specialists will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information.

TERMS & CONDITIONS

For our full set of terms and conditions please scan the QR code.



CONTACT

EUROCAVE[®]

Imported and distributed by MacPhee's Wine Cellaring Specialists

info@macphees.com.au
03 9696 5200 or 1800 733 621

For after sales and technical support; please contact client services

clientservices@macphees.com.au
03 9696 5200 select option 3

¹INSA, a scientific institute based in Lyon (France) conducted a study on the level of vibrations in the wine cabinet. The test was conducted by 4 experts for 4 months on 4 brands.