

EUROCAVE

INVENTOR OF THE WINE CABINET

Designed and Made in France since 1976.



INSPIRATION UNDER BENCH
V-INSP-S | S-INSP-S

CREATOR OF THE WINE CABINET

Designed and made in France since 1976,
EuroCave Wine Cabinets are the best in the world.



Made in France

EuroCave is the only wine cabinet manufacturer to design and make cabinets in France, the global heartland of the wine industry.

Highest Quality Standards

Bestowed with the EPV label, which recognises EuroCave's unwavering dedication to exceptional manufacturing standards.



Award Winning Innovation

Winner of multiple Red Dot Design Awards, one of the world's most prestigious design competitions, recognising their unique features.

Exclusive Patented Technology

EuroCave's elite engineering and design team have developed proprietary technology that delivers unparalleled cellaring precision.



Unique 'Main du Sommelier' Shelving

Cradles ensure superior protection of wine and unlike standard slatted shelves, can accommodate all bottles types including larger sizes common in Australia.

Multiple Temperature Cabinets

In addition to Single and Dual Temp options, EuroCave offers Multi Temp wine cabinets with a gradation of temperature within one zone so all wine varietals can be served at ideal drinking temperature.



Trusted Worldwide

Recommended by sommeliers and restaurants around the world. Over 40 million bottles are entrusted to our cabinets in more than 70 countries.

INSPIRATION UNDER BENCH WINE CABINET

Superior Cellaring Conditions

Consistent Temperature	EuroCave wine cabinets maintain consistent set temperature thanks to their exclusive technology, double glazed and argon filled doors, aluminium interior (vs ABS plastic used by many other manufacturers), high quality insulation (equivalent to 2.5m of earth or 4m of concrete) and magnetic door seals which ensure perfect closure.
Maintain Humidity	Working with ambient humidity, EuroCave wine cabinets maintain stable humidity levels which prevent corks from shrinking and spoiling wine.
Minimal Vibrations	Scientific institute INSA ¹ confirmed that vibration frequencies in an empty EuroCave wine cabinet are 20 times lower than an equivalent competing model and 6 times lower in a full cabinet. This is achieved via ingenious design, silent blocks, high quality closing mechanisms and unique “Main du Sommelier” bottle cradles.
UV Protection	EuroCave doors filter over 97% of UV rays harmful to wine and are made of low emissivity treated technical glass. All internal lights are UV free.
High Air Quality	An internal fan and natural ventilation ensure continuous change of air within the cabinet. The activated carbon filter traps air impurities to avoid bad odours and mould.

Ultimate User Experience

Shelving Fits Larger Bottles	EuroCave wine cabinets can accommodate ALL bottle types common to Australian wine collections (e.g. Burgundy, Champagne, Riesling). This is achieved via; greater space between each shelf, adjustable “Main du Sommelier” bottle supports, and a large choice of shelving options. Many other wine cabinet brands are designed ONLY for slim Bordeaux bottles, so storing other types result in significantly lower bottle capacities and potential label scratching.
Serve ALL Wine Varietals at Ideal Drinking Temperature	EuroCave’s multiple temperature options are perfect for the ‘Entertainer’. Allowing all varietals to be served at ideal drinking temperature within the one ‘zone’; Champagne at the bottom at 6°C, aromatic whites higher up at 8°C, Chardonnay at 10°C, Pinots at 14°C, then full bodied reds at 16-18°C at the top of the cabinet.
Display Wine Bottles	EuroCave provides a multitude of shelving options designed to either optimise capacity or showcase labels through various bottle orientations.
Luxurious Lighting	Showcase wine collections in soft amber internal lighting that is not harmful to wine.
High Energy Efficiency	Consuming up to 67% less energy than mass market wine fridges, EuroCave wine cabinets are gentle on the environment and economical to run.
Low Noise Emissions	EuroCave wine cabinets have low acoustic levels as they are equipped with one of the quietest European-made compressors on the market and insulation that absorbs interior noise.
Touch Control Panel	Panel displays both temperature and humidity. Light settings can easily be changed and filter replacement reminders help protect wine collections.
Alarms & Locking System	Audible and visual alarms activate if the door is accidentally left ajar. The robust locking system provides additional security.

SPECIFICATIONS

Bottle Capacity	25 - 30 bottles (depends on shelving configuration and bottle types)
Temperature	Single Temp – ideal for cellaring all wine varieties Multi Temp – allows all wine varieties to be served at ideal drinking temperature
Temperature Range	5-20°C (enhanced fan system ensures even temperature distribution)
Control	Touch screen electronic temperature and humidity display, alarm and filter countdown
Energy Rating	A (124 kWh/year – Uses up to 67% less energy than traditional cabinets)
Door	Integrated Solid, Integrated Glass, or Full Glass (double glazed, argon filled & UV protected)
Opening	Right or left hinge (Full glass door interchangeable)
Security	Robust locking system with two keys and keyring
Handle	No handle for sleek look
Shelving Types	Roller mounted sliding shelves
Shelving Configuration	4 sliding shelves
Shelves Facia	Black Gloss or Timber
Shelving Spacing	Greater distance between shelves to fit wider bottles and eliminate label scratching
Bottle Supports	“Main du Sommelier” cradles can slide and have rubber rims to minimize vibration
Shelf Labels	6 black powder-coated labels per shelf
Lighting	UV free internal LED cold amber lighting with 3 settings and LED strip lighting
Noise	Quieter than a standard fridge
Filter	Carbon filter ensures air remains fresh
Room Temp	12-35°C
Cold Production	Compressor (R600a gas)
Inner Material	Aluminium
Exterior Coating	High density fiber
Insulation Type	PU foam (59mm)
Warranty	3 years

DIMENSIONS

		Full Glass Door	Integrated Solid Door	Integrated Glass Door
Height (mm)	810/880*			
Width (mm)	557/594**			
Depth (mm)	597			
Cabinet weight (kg)	53			

*Height adjustable with raising feet

** Includes fillers to fit a 600mm cavity

FREQUENTLY ASKED QUESTIONS

Why are EuroCave wine cabinets considered to be the best globally?

EuroCave invented the very first wine cabinet in 1976. They are dedicated to producing the highest quality, most aesthetically pleasing, and technologically advanced wine cabinets in the world. EuroCave wine cabinets are designed AND manufactured in France, and they address all the requirements for cellaring wine correctly. A strong focus on high energy efficiency, unique and patented features, and longevity makes EuroCave stand out from mass market wine fridge brands.

EuroCave is the wine cabinet of choice for serious wine enthusiasts, and they are featured globally in many hatted restaurants, leading wineries, 5-star hotels and luxury residential developments.

Why haven't I heard about EuroCave before?

With over 80 distributors worldwide, EuroCave has a significant presence in Europe, USA, Asia and other parts of the world. In Australia, EuroCave has been distributed directly to the end customer for over 25 years. Dedicated to producing the best wine cabinet, EuroCave reinvests in R&D rather than 'above the line' advertising.

What is the bottle capacity of a EuroCave wine cabinet?

A wine cabinet's bottle capacity will vary, depending on shelving configuration and type of bottles. Many brands highlight 'maximum bottle capacity' numbers and this generally assumes that ONLY Bordeaux bottles (the thinnest, shortest and rarely used by Australian wine producers) are being used inside the wine cabinet. EuroCave provides a bottle capacity range. Please refer to the bottle capacity provided in the 'Specifications' section of this Product Guide.



Every EuroCave cabinet receives a meticulous quality assurance check before leaving the warehouse to ensure all systems are functioning, and the unit is clean, scratch free and ready for its new home.

Can EuroCave wine cabinets accommodate ALL bottle types?

EuroCave wine cabinets can accommodate ALL bottle types common to Australian wine collections (eg. Burgundy, Champagne, Riesling). Many other wine cabinet brands are ONLY suited to the slimmer Bordeaux bottles, resulting in significantly lower bottle capacities and/or potential label scratching. EuroCave wine cabinets can also accommodate magnums.

What is the difference between a single and multiple temperature wine cabinet?

A single temperature wine cabinet can be set anywhere between 5°C and 20°C, and this will apply for ALL wine inside the unit.

A multiple temperature EuroCave wine cabinet provides a 'gradation' of temperature from the bottom shelf (coldest), to the top shelf, all in the ONE zone. This allows all wine varieties to be served at their ideal drinking temperature so all wines are ready to enjoy. Perfect for the entertainer.

What are ideal conditions for cellaring wine?

ALL wine (whites, reds, rose, sparkling) needs to be cellared at the SAME temperature. EuroCave addresses all 5 criteria required for cellaring wine:

1. Consistent low temperature (12-14°C)
2. High humidity (around 65-75% is ideal)
3. Minimal vibration
4. Fresh airflow
5. UV protection

FREQUENTLY ASKED QUESTIONS

Ideal Cellaring and Drinking Temperatures

Wine Variety	Cellaring Temperature	Drinking Temperature
Cabernet/Shiraz	14°C	18°C
Pinot Noir	14°C	14°C
Chardonnay	14°C	10°C
Sauvignon Blanc	14°C	8°C
Champagne	14°C	6°C

What is the best temperature for drinking wine?

It is ONLY when we are just about to serve wine that we need to bring it to drinking temperature. Please see the table above for ideal drinking temperatures of some wine varieties.

What's the right wine cabinet for the collector?

For the wine collector looking to protect their wine longer term, we recommend a large, single temperature Royale, Encore, Compact or Inspiration wine cabinet for protecting and cellaring their collection as the winemaker intended. To enjoy a bottle, white wine could simply be placed in the fridge for 20 mins before serving. Conversely, remove a bottle of red 20 mins or so before drinking.

Are EuroCave wine cabinets noisy?

No. EuroCave wine cabinets are quieter than a standard fridge; 37(dB(A)).

Where should I install the power point?

Position the power point at the back of your wine cabinet, towards the bottom. The use of multi socket plugs and extensions is not recommended. If installing multiple units, we recommend a separate power supply for each.

How energy efficient are EuroCave wine cabinets?

Very! A large single temperature EuroCave wine cabinet consumes approximately 200 Watts of power when the ambient room temperature is at 25°C, or 128-165 kWh/year on average, depending on the model.

Can the handle be removed?

EuroCave handles come packaged inside the unit. They can be easily attached if required or can remain detached. Doors can easily be opened without attaching the handle.

Can we change the lighting options?

EuroCave uses amber lighting which enhances the ambience of wine collections. The colour of the lighting cannot be changed. EuroCave Champagne wine cabinet can be ordered with a choice between three colour options; amber, blue or red. All wine cabinets have 3 setting options for lighting; 1) Lights remain on, 2) Lights remain off 3) Lights turn on only when the door is opened.

Can EuroCave wine cabinets go outdoors?

No. EuroCave wine cabinets are not weatherproof and must be kept away from harsh conditions.

USABILITY, CARE AND MAINTENANCE

How do I get the best out of the EuroCave wine cabinet?

Scan the QR code below to Register your EuroCave for Warranty, gain access to the Quick Start Guide, Maintenance Information, Product Guides, User Manuals and more.



Do I need to remove the cabinet from its location for maintenance?

No, the cabinet can remain in place for regular filter replacement and cleaning.

For technical issues involving the cooling system or electronic control panel, the cabinet may need to be moved. This must be performed by a qualified technician recommended by a EuroCave vendor.

There is a horizontal 'bar' across the middle of my wine cabinet. Can this be removed?

No, the horizontal 'Bracing Bar' located in the middle of a large wine cabinet is needed to reinforce its structure and avoid any deformation over time. It should not be removed.

Can I control humidity?

Whilst EuroCave wine cabinets display both temperature and humidity, humidity in any wine cabinet cannot be controlled because it is influenced by the ambient humidity in its specific environment. Humidity does not need to be as precise as temperature; it should be above 50% and ideally 65% to 75% to prevent corks from drying out and ultimately oxidizing wine.

What temperature do I set the EuroCave?

Set a single temperature model to 14°C to cellar all wine varietals. Set to 8°C for service temperature of white wine only. Set to 18°C for serving of red wine only.

For a multiple temperature model, set the minimum to 8°C (bottom) and the maximum to 18°C (top). A 10°C variance must be allowed. Please see the table on previous page for ideal drinking temperatures.

FREQUENTLY ASKED QUESTIONS

INSPIRATION WINE CABINET

Are 3D files available?



Yes, 3D files for each model can be found by scanning the QR code.

Can the Inspiration Range be built into joinery?

The Inspiration Range is specifically designed to be 'flush fitted' into joinery. Please refer to the Installation Instructions in this Product Guide.

Are there any special ventilation requirements?

Yes! The upper and lower horizontal "strips" must not be obstructed in any way. Please refer to the Installation Instructions.

I want to hide the control panel at the top of the Inspiration. Can I cover it?

No. The top vertical strip / control panel must not be obstructed in any way as it is required for air intake. The bottom vertical strip must not be obstructed as it allows for air exhaust.

Are the doors reversible?

Only full glass doors are reversible. Integrated Solid and Integrated Glass doors are not reversible and you must choose your hinge side preference when ordering.

How is joinery attached to the Integrated Solid door or Integrated Glass?

The 'Inspiration Solid Integrated Door' model comes with attachments for a joinery panel. The 'Inspiration Glass Integrated Door' model has a 'raw' frame where joinery is attached. Please refer to the Installation Instructions in this Product Guide.

Can the Inspiration Range be freestanding?

No. Inspiration wine cabinets are one of the few ranges that are not designed to be free standing.

What is the maximum thickness and weight for the joinery panel on the door?

The maximum recommended joinery thickness is 20mm and it must weight no more than 12kg.

What about the door swing? Does it have to open at 180 degrees to pull out a shelf? Can I position the Inspiration next to a wall?

Inspiration can be positioned adjacent to a wall because shelves can fully slide out when the door is opened to 90 degrees. Also, whilst the inset door hinge 'protrudes' only 3mm at most (when the door is open at its maximum of 45 degrees), a 10mm gap should be kept between the wall and the Inspiration.

Can I place multiple EuroCave Inspiration wine cabinets side by side?

Yes. A solid vertical panel should be used between each Inspiration wine cabinet so it can be securely attached.

Are the feet adjustable?

Yes. Please refer to the Installation Instructions for more information including maximum and minimum heights.

Can the feet be removed?

No, the feet of the Inspiration wine cabinet protect the underside of the cabinet, which in turn supports the compressor and fans.

What are the electricity requirements?


All EuroCave wine cabinets can simply be plugged into a standard power point (standard 10A outlet, on a 16A circuit, earthed with 30mA circuit breaker).

INSPIRATION UNDER BENCH WINE CABINET
DIAGRAMS AND DIMENSIONS




CUSTOM - “Flush-fitted”




When building into custom joinery with a full glass door.



Side View




Front View



For further installation information, refer to the FAQs on page 8.

INSPIRATION UNDER BENCH WINE CABINET
DIAGRAMS AND DIMENSIONS



CUSTOM - “Flush-fitted”
for Integrated Solid Door or Integrated Glass Door



*Width including the 4 mounting brackets that come with unit.

Dimensions for joinery frame fixing points.

Dimensions of the joinery frame for Integrated Glass doors






INSPIRATION UNDER BENCH WINE CABINET DIAGRAMS AND DIMENSIONS

Installing two wine cabinets side by side

Each wine cabinet must be placed in its own joinery casing. This allows proper air circulation, ensuring the cabinets function correctly.

NB: To guarantee the proper functioning of the wine cabinet, the top and bottom ventilation strips must not be covered in any way.



Outlet position
Length of the power
cord: 2m


Use the mounting brackets
on the hinge side

Use the mounting brackets or
the handle threader on the handle side.

INSPIRATION UNDER BENCH WINE CABINET INSTALLATION INSTRUCTIONS

EUROCAVE 



CUSTOM - “Flush-fitted”



INSPIRATION UNDER BENCH WINE CABINET INSTALLATION INSTRUCTIONS


EUROCAVE[®]

CUSTOM - “Flush-fitted”



INSPIRATION UNDER BENCH WINE CABINET INSTALLATION INSTRUCTIONS


CUSTOM - “Flush-fitted”



INSPIRATION UNDER BENCH WINE CABINET INSTALLATION INSTRUCTIONS

EUROCAVE[®]


CUSTOM - “Flush-fitted”







INSPIRATION UNDER BENCH WINE CABINET INSTALLATION INSTRUCTIONS

CUSTOM - “Flush-fitted”

S and L sizes in Integrated Solid and Glass Doors




+ pz1 (not supplied)



INSPIRATION UNDER BENCH WINE CABINET DIAGRAMS AND DIMENSIONS

STANDARD - "Built-in"


When building into standard joinery dimensions
(W600xD600) with a Full Glass Door





*with fillers that come with the unit when installing into standard kitchen joinery dimensions (600 x 600mm)

**Depending on the tolerances of the different elements (body, fillers, furniture).

Side View



Front View






For further
installation
information, refer
to the FAQs on
page 8.

INSPIRATION UNDER BENCH WINE CABINET DIAGRAMS AND DIMENSIONS

Installing two wine cabinets side by side

Each wine cabinet must be placed in its own joinery casing. This allows proper air circulation, ensuring the cabinets function correctly.

NB: To guarantee the proper functioning of the wine cabinet, the top and bottom ventilation strips must not be covered in any way.



Outlet position
Length of the power
cord: 2m



Use the mounting brackets
on the hinge side

Use the mounting brackets or
the handle threader on the handle side.

INSPIRATION UNDER BENCH WINE CABINET INSTALLATION INSTRUCTIONS


EUROCAVE®

STANDARD - "Built-in"




INSPIRATION UNDER BENCH WINE CABINET INSTALLATION INSTRUCTIONS

STANDARD - "Built-in"





Hacksaw (not supplied)



INSPIRATION UNDER BENCH WINE CABINET INSTALLATION INSTRUCTIONS

EUROCAVE 



STANDARD - “Built-in”



INSPIRATION UNDER BENCH WINE CABINET INSTALLATION INSTRUCTIONS







EUROCAVE[®]

STANDARD - "Built-in"



INSPIRATION UNDER BENCH WINE CABINET INSTALLATION INSTRUCTIONS

STANDARD - "Built-in"



PRODUCT INFORMATION

Product specifications and information contained in this document are accurate as at the date of issue. For up to date information please refer to macphees.com.au

All information supplied is to be used for general reference purposes only and is on the understanding that MacPhee's Wine Cellaring Specialists will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information.

TERMS & CONDITIONS

For our full set of terms and conditions please scan the QR code.



CONTACT

EUROCAVE[®]

Imported and distributed by MacPhee's Wine Cellaring Specialists

info@macphees.com.au
03 9696 5200 or 1800 733 621

¹INSA, a scientific institute based in Lyon (France) conducted a study on the level of vibrations in the wine cabinet. The test was conducted by 4 experts for 4 months on 4 brands.